

# **The MEMORY reVITALIZER HOUR**

with Dr. William Summers

**(CALL-in, 505 -444- 5059 )** SAT Sept 21 , 2024.

© Summers ,2024

**TOPICS:** 9/11\_Mem reVIT\_AL\_ BRAIN PACEMAKER\_  
GABA\_\_ Covid vaccines\_ Vicks Vapor Rub\_ Exercise\_ HFCS  
TBI \_\_ Shingles vaccine\_ Essential Oils;  
Rezdiffra & NASH

## Quotes & Quips

"The powers delegated by the proposed Constitution to the FEDERAL government are few and defined. Those which ate to remain in the State governments are numerous and indefenite."

– Federalist No. 45

*IN THESE TROUBLED TIMES REMEMBER, FEAR IS  
A REACTION.. .... COURAGE IS A DECISION.*

THE PURPOSE OF THIS SHOW IS TO EDUCATE AND  
EMPOWER YOU THE LISTENER To MAKE THE COMPLEX  
UNDERSTANDABLE EACH & EVERY SHOW.

-R. Limbaugh

Word FROM OUR SPONSOR

---

**WHERE TO GET Memory reVITALIZER® / life IMAGINED®**

Local Stores

Share N'Care Pharmacy in Belen , **Duran's** Central  
Pharmacy, Arnett's Regent Pharmacy, **Best Buy**  
Pharmacy, **MENAU** Pharmacy, **VINTAGE** PHARMACY (on  
Mongomery), Evergreen Herbal Market (Rio Rancho),  
Moses Kountry Store (4<sup>th</sup> Street), Village Apothecary  
in Cedar Crest, **HIGHLAND PHARMACY**, Kare Drug (AZTEC, NM),  
**PURPLE SAGE HERB & HEALTH** (Bosque Farms), and Sierra Blanca  
Pharm in RUIDOSO, NM

§ <https://www.memoryrevitalizer.com>

[www.LifeLink.com](http://www.LifeLink.com)

Order Direct at 800.606.0192

---

**MED PRACT:** Tired of 8 min Gov't med visit. Call  
Margaret @ 505-878-0192

---

---

**Albuquerque NeuroScience**

**MEMORY DIFFICULTIES?**

- AGE 50-87 • poor memory > 6 months
- ?? possible ALZHEIMER'S?
- must have caregiver / loved one to participate.

**ALBUQUERQUE NEUROSCIENCES**

**101 Hospital Loop NE, Unit 209,**

**Albuquerque, NM 87109**

Tel: 505-848-3773

THANK YOU FOR LISTENING, CALLING AND TELLING OTHERS  
ABOUT THE SHOW

## Stents Show No Benefit in Treating Heart Failure

by Matthew Ryan Sept 11, 2022 Epoch Times

Every year, 60,000 people in the UK are diagnosed with heart failure, and many are treated with stents. It's in a large new study published in **The New England Journal of Medicine** that my colleagues and I discovered that these procedures are unnecessary.

Heart failure is where the heart muscle becomes weakened, leading to symptoms of severe breathlessness that may cause premature death. The most common cause is blocked blood vessels that reduce blood supply to the heart muscle. This is known as coronary artery disease.

A person with heart failure is treated with medication and sometimes with specialized pacemakers. Despite this treatment, many patients die prematurely or are admitted to hospital with worsening symptoms.

People with heart failure also sometimes have a procedure to insert a stent—a small metal tube that is used to unblock a coronary artery. Stents are placed into the heart arteries by a cardiologist through tubes inserted either into the wrist or the groin and guided by X-rays. Trials have shown that stents are a very effective treatment for people with heart attacks and angina, but their effects in patients with heart failure have remained uncertain.

Some cardiologists had noticed improvements in patients' symptoms and heart function after stenting, but researchers couldn't tell if these improvements were directly linked to the stents or if they would have happened anyway with medications. Without proper research, treatment guidelines for the use of stents in patients with heart failure varied, with the National Health Service (NHS) recommending against stenting and European guidelines recommending it in certain patients.

In this latest study, the REVIVED-BCIS2 trial, led by professor Divaka Perera, we tested whether treatment with stents helped patients to live longer or to stay out of the hospital. The trial was a collaboration of 40 NHS Hospitals in the UK and ran from 2013 to 2020.

Patients could be included in the trial if they had severely weakened heart muscle and extensive blockages of the coronary arteries. They also had specialized heart scans performed, so that stenting could be targeted to the areas of the heart muscle that were most likely to recover.

A stent is a short wire-mesh tube that acts like a scaffold to help keep your artery open. Phonlamai Photo/Shutterstock

A total of **700 patients** took part in the study, and half of them were randomly chosen to receive stents while all patients received standard heart failure treatment. The patients attended follow-up appointments for up to eight years so that their health and heart function could be monitored closely. An average of 3.4 years after treatment, patients who received stents were just as likely as those who didn't have died or been admitted to hospital with heart failure, showing that the treatment wasn't effective.

***Heart scans and blood tests also showed no difference in the heart's pumping strength, supporting the main trial findings.***

Our study did show that patients who had stents had a better quality of life in the first year, but after two years, the difference disappeared and patients reported similar health.

Although there was no benefit to inserting stents, there was also no sign that stents caused harm.

**MORE RESEARCH ISN'T NEEDED**

The results of the trial mean that stents shouldn't be used to treat patients with heart failure caused by coronary artery disease unless they have another condition, such as angina or a recent heart attack.

The design and the number of patients involved in the trial mean that the answer is clear and further research to address this question isn't needed at the moment. We'll spend time looking at the results to try to understand why stenting doesn't work. Although no benefit was shown, the findings are important, as they mean that patients with heart failure won't undergo unnecessary procedures. The cost of stenting procedures can also be redirected to providing other treatments and better care for patients with heart failure.

---

---

## **It's Hard Out There for a Doctor**

by Sally Pipes Epoch Times Oct 7, 2013

- America's doctor shortage is quickly becoming a crisis. No less than 14 states have introduced legislation or created new programs to deal with the problem.

The Association of American Medical Colleges reports that the country is currently short 20,000 doctors. Over the next decade, that number could quintuple.

And "Obamacare" is only making things worse. Physicians are responding to the health reform law's intrusive regulations and insufficient payments by

treating fewer patients—or even abandoning the medical profession altogether.

One cornerstone of “Obamacare” is its expansion of Medicaid, the jointly run federal-state health insurance program for the poor.

Starting in 2014, the program will cover all Americans with incomes up to 133 percent of the federal poverty level. The federal government will absorb 100 percent of the cost of this expansion through 2016, and then a declining share in subsequent years, until the its responsibility rests at 90 percent in 2020. By then,

some 12 million people will have gained coverage anew through Medicaid.

But the program is already dysfunctional. Reimbursement rates are so low—about 60 percent of the rate paid by private insurers—that doctors routinely refuse to see Medicaid patients. A recent study published in Health Affairs found that 33 percent of doctors did not accept new Medicaid patients in 2010 and 2011.

The story is much the same for the government’s other big health program—Medicare. More than 9,500 doctors opted out of treating Medicare patients in 2012. That’s almost triple the number that abandoned Medicare in 2009.

According to American Medical Association President Dr. Ardis Hoven, “While Medicare physician payment rates have remained flat since 2001, practice costs have increased by more than 20 percent due to inflation, leaving physicians with a huge gap between what Medicare pays and what it costs to care for seniors.”

Unsurprisingly, “Obamacare” will exacerbate the problem. The law creates a new government entity—the Independent Payment Advisory Board (IPAB)—charged with ensuring that Medicare hits designated spending targets. IPAB is forbidden from rationing care or changing seniors’ benefits. So the board’s only real cost-cutting option will be to ratchet down reimbursement rates for doctors.

### **Byzantine Regulations**

“Obamacare” will also reduce payments to doctors who do not adhere to the law’s Byzantine new regulations. For instance, doctors who fail to comply with the Centers for Medicare and Medicaid Services’ Physician Quality Reporting System or order a certain number of prescriptions electronically could see their reimbursements docked up to 7 percent by 2017.

In many cases, doctors will have to make substantial investments in their office infrastructure and computer systems just to follow all the new rules.

Many doctors—particularly those nearing the end of their careers—will simply hang up their scrubs instead of spending heavily to comply with “Obamacare.” According to Dr. Jeff Cain, president of the American Academy of Family Physicians, “Almost a third of family doctors in rural America are thinking about retiring in the next five years.”

A 2013 Deloitte survey of physicians found that 6 in 10 doctors believe that many in their profession “will retire earlier than planned in the next one to three years.”

Those who can’t afford to retire may look to partner with hospitals in order to offload increases in overhead fueled by “Obamacare.” That’s bad news for physicians, hospitals, and patients alike.



American Enterprise Institute senior fellow Dr. Scott Gottlieb predicts that doctors will work less, once they become salaried employees of hospitals. Their employers will respond by reducing their paychecks. And patients will find that they're competing for an ever-scarcer number of appointments.

“Obamacare” is causing a doctor depression. And what’s bad for doctors is ultimately bad for patients. The cure for this sickness is full repeal of “Obamacare”—and the installation of market-based reforms in its place.

---

## Trucking Company Boss Blows Whistle: Biden-Harris Admin Transporting Monkeypox ‘Vaccines’ Nationwide before Election

by Hunter Fielding September 6, 2024

- A trucking company boss has come forward to blow the whistle and reveal that his company has been hired by the Biden-Harris administration to transport monkeypox mRNA “vaccines” across the country – enough to double-dose for every American – ahead of the November elections.

The business owner issued this warning during a recent episode of “The Alex Jones Show” on InfoWars.

He reached out to Jones to spread awareness, telling the InfoWars founder that the order to distribute the Big Pharma monkeypox mRNA injection came from top federal officials.

“All of a sudden, [my company] was blowing up with [inquiries] about ‘Can you help us?’ ‘Can you send more trucks and drivers?’ It is for the next three to four days and into next week,” he disclosed. “They must be pumping out a large volume of this what they called mpox (not monkeypox) vaccines.”

The trucker answered affirmatively when Jones clarified if the orders specifically pertained to monkeypox vaccines.

The caller continued: “Specifically it will go onto our trucks to the airports and then onto cargo aircraft, possibly for a worldwide distribution, or at least throughout the country.”

---

---

Memory reVITALIZER  
COMPONENTS

**ALPHA LIPOIC ACID** ..... **90mg**

- Lipoic acid (often called  $\alpha$ -lipoic acid), also known as thioctic acid, is a naturally occurring compound that is also synthesized by humans.
- Alpha-lipoic acid (ALA) ***IS*** a mitochondrial compound involved in energy metabolism.
- Endogenously synthesized lipoic acid is bound to protein and functions as a cofactor for several important mitochondrial multienzyme complexes.
- Lipoic acid is a direct antioxidant, although any increase in radical scavenging activity in vivo is likely transient. Lipoic acid may also trigger antioxidant defense, enhance cellular glucose uptake, and modulate the activity of various cell-signaling molecules and transcription factors.

Lipoic acid contains *two thiol (sulfur) groups*, which may be oxidized or reduced; dihydrolipoic acid is the reduced form of lipoic acid

- Lipoic acid was found to slow disease progression when administered to a mouse model of multiple sclerosis.
- Supplementation with lipoic acid may show some benefits in terms of weight control for individuals with high body mass index.
- 

---

---

## ABUSE AND STOCKHOLM SYNDROME

hostages sometimes develop a psychological bond with their captors = **Stockholm Syndrome**.

In 1973, Jan-Erik Olsson, a convict on parole, took four employees (three women and one man) of Kreditbanken, one of the largest banks in Stockholm, Sweden, hostage during a failed bank robbery. He negotiated the release from prison of his friend Clark Olofsson to assist him. They held the hostages captive for six days (23–28 August) in one of the bank's vaults. When the hostages were released, none of them would testify against either captor in court; instead, they began raising money for their defense.

### PATTY HEARST

Patty Hearst, the granddaughter of publisher William Randolph Hearst, was taken and held hostage by the Symbionese Liberation Army, "an urban guerrilla group", in 1974. She was recorded denouncing her family as well as the police using her new name, "Tania", and was later seen working with the SLA to rob banks in San Francisco. She publicly asserted her "sympathetic feelings" toward the SLA and their pursuits as well. After her 1975 arrest,

pleading Stockholm syndrome (although the term was not used then, due to the recency of the event) did not work as a proper defense in court, much to the chagrin of her defense lawyer F. Lee Bailey. Her seven-year prison sentence was later commuted, and she was eventually pardoned by President Bill Clinton, who was informed that she was not acting by her own free will.

## ABUSE WITHIN FAMILIES

==> CALLED I.P. V. **Intimate Partner Violence**

- About 41% of women and 26% of men experienced contact sexual violence, physical violence, or stalking by an intimate partner during their lifetime and reported a related impact.A

- Over 61 million women and 53 million men have experienced psychological aggression by an intimate partner in their lifetime.

- Intimate partner violence can be prevented.

Preventing intimate partner violence requires understanding and addressing the factors that put people at risk for or protect them from violence.

## **PSYCHO...BABBLE !!**

- DOMESTIC ABUSE can assume multiple forms, including physical, verbal, emotional, economic, religious, reproductive, financial abuse, or sexual abuse, or combinations of these.

- THE ABUSED feel as if they did something wrong.

  - as if they are unworthy

  - as if they cannot provide shelter or food for themselves.

- EMOTIONAL & PHYSICAL violence often occur when the abuser believes that they are entitled to it, or that it is acceptable, justified, or unlikely to be CAUGHT & reported.
  - LIKE RAPE IT IS ALL ABOUT CONTROL... NOT SEXUALITY.

- **CYCLE OF ABUSE** which consists of four phases.
  - 1<sup>ST</sup>, there is a buildup to abuse when tension rises until
  - 2<sup>ND</sup> THE incident [EMOTIONAL/PHYSICAL] ensues.
  - 3<sup>RD</sup> **THE RECONCILIATION STAGE**, the abuser may be kind and loving and then there is
  - 4<sup>TH</sup> **THE PERIOD OF CALM**. When the situation is calm, the abused person may be hopeful that the situation will change.

==> *Then, tensions begin to build, and the cycle starts again.*

- INTERGENERATIONAL VIOLENCE

A common aspect among abusers is that they witnessed abuse in their childhood. They were participants in a chain of intergenerational cycles of domestic violence.

- SUBSTANCE ABUSE

Domestic violence typically co-occurs with alcohol abuse. .... AND CANNABIS ABUSE..... Alcohol use has been reported as a factor by two-thirds of domestic abuse victims. Moderate drinkers are more frequently engaged in intimate violence than are light drinkers and abstainers

- ABILITY TO LEAVE

The ability of victims of domestic violence to leave the relationship is crucial for preventing further abuse. In traditional communities, divorced women often feel rejected and ostracized. In order to avoid this stigma, many women prefer to remain in the RELATIONSHIP and endure the abuse.

- CELESTIAL DISCHARGE

The Ottawa Women's Monument, in Minto Park, downtown Ottawa, Ontario, Canada, to the women murdered as a result of domestic violence; dedicated in 1992.

- Domestic violence is among the most underreported crimes worldwide for both men and women.

- There exist several strategies that are being used to attempt to prevent or reduce domestic violence.

- ▣ Reforming the legislation in order to ensure that domestic violence falls under the scope of the law is important. Especially in Islamic states

- ▣ "A key strategy in preventing [domestic violence] is the promotion of respectful, nonviolent relationships through individual, community, and societal level change." HEIGHTEN AWARENESS DRAMAS OF "NORMS"

- ▣ PUBLIC SAFE HAVENS FOR THE ABUSED.

- ▣ Counseling may be used by offenders to minimize the risk of future domestic violence

- ▣ PLEASE CALL IN WITH YOUR IDEAS

---

---

**Suicide prevention techniques make no difference**

## as US sees increase in people taking their own lives

by Emily Joshu September 16, 2024 Daily Mail

- Suicide prevention measures like hotlines, school curriculums, and telehealth have done nothing to slow the rate of suicide in the US, experts warn.

Over the past two decades, federal officials have launched three national suicide prevention strategies, which have focused on addressing risk factors, providing follow-up care, and evaluating at-risk populations like Native Americans.

- Despite these efforts, however, suicide is still on the rise in the US, increasing about three percent from 2021 to 2022, the latest data available. In 2022, deaths by suicide hit a record high of 50,000, driven largely by increases in depression.

- And earlier this year, suicide beat out Alzheimer's to become the eighth leading cause of death among US men.

- The rates have been particularly grim in rural states like Alaska, Montana, North Dakota, and Wyoming, with up to double the deaths compared to more urban areas.

- Experts have noted that this could be due to higher poverty rates and a lack of therapists and other behavioral health professionals in these areas of the country. .... BULL .....
- EXPOUND..... INVITE CALLERS

---

---

## Psychologists explain why Tim Waltz - Kamala Harris' VP pick - tells so many tall tales

by Cassidy Morrison, September 16, 2024 Daily Mail

- Lied about DWI
- Lied about Military service
- Lied about coaching career

● Psychologists have suggested his string of mistruths represent a worrisome pattern of dishonesty.

The article goes on to note TIM WALTZ is a psychopathic Lier

“what’s more concerning is Walz has no remorse or sense of responsibility.”